

題名 ISWI Newsletter – Vol. 5 No. 026
 差出人 George Maeda

 * ISWI Newsletter – Vol. 5 No. 026 02 March 2013 *
 *
 * I S W I = International Space Weather Initiative *
 * (www.iswi-secretariat.org) *
 *
 * Publisher: Professor K. Yumoto, ICSWSE, Kyushu University, Japan *
 * Editor-in-Chief: Mr. George Maeda, ICSWSE (maeda[at]serc.kyushu-u.ac.jp)*
 * Archive location: www.iswi-secretariat.org (maintained by Bulgaria) *
 * [click on "Publication" tab, then on "Newsletter Archive"] *
 * Caveat: Under the Ground Rules of ISWI, if you use any material from *
 * the ISWI Newsletter or Website, however minor it may seem *
 * to you, you must give proper credit to the original source. *

Attachment(s):

- (1) "Ethiopie", 4 MB pdf, 40 pages.
- (2) "BROCHURE ISWI-Maghrebenglis.", 924 KB pdf, 2 pages.

: Re:
 : (1) Training and Research Advancements: IHY/ISWI
 : (2) The First ISWI School of MAGHREB
 :

Dear ISWI Participant:

The attached material comes from Dr Christine Amory, who is the Coordinator of GIRGEA and one of the most active members of the ISWI community. As many of you know, she is a very energetic and enthusiastic space weather scientist/educator.

The first pdf, Ethiopie, was her presentation at the 2012 AGU Chapman Conference, at Addis Ababa, Ethiopia. It is her assertion that research (and training) on low-latitude ionosphere has advanced beaucoup thanks to IHY and ISWI --> behold the evidence in this magnificent 40-page pdf.

The other pdf today is another example of an ISWI school in Africa. There are several ISWI schools lined up for Africa this year -- stay tuned all year to this newsletter for details on these and other ISWI events in Africa, Asia, and Latin America. As well, if you want PR for your event(s), please send info to me for distribution to the entire ISWI community; this newsletter exists for that purpose.

Most faithfully and earnestly yours,

: George Maeda
 : The Editor
 : ISWI Newsletter



Some scientific achievements IHY and ISWI

Christine Amory-mazaudier
christine.amory@lpp.polytechnique.fr

This pdf circulated in
Volume 5, Number 26,
on 02 March 2013.



Summary

- **Sociology of science: results**
 - Deployment of tools -> observatories
 - Training -> schools -> organization of Masters
 - Teams of Research -> position for students
(<http://www.iswi-secretariat.org> -> Achievements presented at Quito meeting)
- **Scientific Results**
- **IHY : New approach**
 - Geophysics to Heliophysics
- **ISWI : strong connections with society**
 - Politics and medias

NOT FREE ON THE WEB


- ~ 50 stations in South Africa
- ~ 15 stations in Morocco
- ~ 9 stations in Burkina Faso
- ~ 9 stations in Egypt
- ~ 15 SCINDA stations
- etc...

GPS

Recommendations made at Quito during the ISWI meeting in 2012

It is important to increase:

- **SCINDA GPS network**, even the data are not yet share on the web => constitution of a data base for scintillation
- **National networks of GPS** with all the users of GPS in the different fields of research
 - Ionosphere, Atmosphere, Geography, Geodesy etc...
- **GPS Networks available on the Web** Contact UNAVCO
<http://www.unvaco.org>



GPS available on the web, in red since 2011

IGS

<http://sopac.ucsd.edu>

<http://cddis.gsfc.nasa.gov>

<http://igs.ensg.ign.fr>

AMMA stations are now in IGS

NOAA et UNAVCO

<http://www.ngs.noaa.gov/CORS>

<http://www.unvaco.org>

SCHOOLS

<http://www.iswi-secretariat.org>

First school in Africa / Abidjan 1995
IEEY Project



Schools organized by GIRGEA in
the framework of IEEY, IHY, ISWI programs

GPS, GIS, INTERNET, DATA BASE, NEW TECHNOLOGIES
AND SPACE WEATHER : INTRODUCTION

Congo 2009, Egypt 2010, RDC 2011, Burkina Faso 2014

Different communities : Physic, Geography, Agronomy, Mathematics
and ICT

SPACE WEATHER : Physic of the Sun Earth System

Ivory Coast 1995, Morocco 2011, Algeria 2013

Physicists level M2

GPS DATA PROCESSING FOR IONOSPHERIC STUDIES

France 2011, France 2012, probably France 2013


PhD students using GPS data (few students : 5 and 2 professors
during 5 days)



Schools are organized
by IRGGEA since 1992
by SCINDA since 2006
by MAGDAS since 2010
by IHY and ISWI since 2007
by African countries since 2008

International Equatorial Electrojet Year – IEEY / Brazil 1992

17 years : 1990-2006 : 48 papers + 10 PhD
6 years : 2007-2012 : 51 papers + 11 PhD



More results if we add other African countries
South-Africa/Rwanda, Nigeria, Kenya ...

Summary

- **Sociology of science: results**
 - Deployment of tools -> observatories
 - Training -> schools -> organization of Masters
 - Teams of Research -> position for students
- **Scientific Results**
- **IHY : New approach**
 - Geophysics to Heliophysics
- **ISWI : strong connections with society**
 - Politics and medias

Longitudinal Asymmetry of the Equatorial Electrojet

Talk of V. DOUMBIA





Figure 2: (a) Mean longitude variation of the EEJ noontime peak current density from CHAMP satellite observations (red curve), from ground-based IEEY data (blue curve) and the mean annual value of the peak current density (red thick dots) at Huancayo, Addis Ababa, Sikasso Tirunelveli and Baclieu in 2002. The error bars of the IEEY profile correspond to the standard deviations.

(b) Average daily variation of EEJ peak current density at 3 magnetic observatories Huancayo, Addis Ababa and Baclieu for the year 2002. The error bars correspond to the standard deviations.



Statistical study of The F2 Layer using the classification of Legrand and Simon

See the talk of F. OUATTARA





Ouattara and Amory-Mazaudier to appear in SWSC, 2012

Classification of Legrand and Simon is based on the Aa indices, SSC, Solar events and the empirical relation between solar wind and geomagnetic indices given by L. Svalgaard (1977) Annales Geophysicae, 1989




Improving of the classification of Legrand and Simon using Aa indices, SSC, Solar events and empirical relation between solar wind and geomagnetic indices

By J-L. ZERBO et al. (Annales Geophysicae 2012)








J-L. ZERBO et al. 2012
(Annales Geophysicae)

Shock events -> CME




High speed solar wind
Streams flowing from
coronal holes







SOLAR WIND – OMNIWeb data base




Zerbo et al.,
Journal of Advanced Research 2012

Exceptionnal Years



ISGI data base

Zerbo et al. , invited paper
Journal of Advanced Research 2012




SOLAR CYCLE VARIATIONS AT PHU THUY/ VIETNAM


Pham et al., 2011a

Correlation for solar cycle 20,
21,22 (99%)








- foF2 et Rz ~0.835, 0.846 et 0.841
- foF1 et Rz ~0.89, 0.791 et 0.867
- foE et Rz ~0.611, 0.652 et 0.754



Critical frequencies



Virtual Height



LONG TERM VARIATIONS AT Phu Thuy/ Vietnam PHAM et al., 2011a

The long term variations are computed by using the linear regression :


$$X_{th} = a.R + b \quad (1a)$$

R: the sunspot number

$$\Delta X_i = X_i - X_{th} \quad (1b)$$


*X_i: critical frequencies
observes*

- foF2 increases with a rate of 0,025 MHz/year
- foF1 increases with a rate of 0,009 MHz/year
- foE increased from 1962 to 1984 with a rate of 0,024 MHz/ year and then decreased with a rate of -0,013 MHz/year



EQUINOXIAL ASYMMETRY AT PHU THUY VIETNAM


Pham et al., 2001a -Annales Geophysicae




Equinoxes
➤ 2 maxima in
March April or
October



➤ The asymmetry
changes with solar
cycle phases


Equinoctial asymmetry along a latitudinal chain of GPS in the East Asian sector.




Solar cycle and annual variations of the TEC in the East Asian sector








Enhancement of DP2 in the Three Longitude sectors




Mene et al.,
Annales Geophysicae, 2011




The Ionospheric Disturbance Dynamo

Blanc and Richmond, JGR 1980




Regular wind



Storm wind

Mazaudier and Venkateswaran
Annales Geophysicae, 1990



Richmond and Matshushita, JGR, 1975
Thermospheric response to a magnetic storm

Magnetic signature of the ionospheric disturbance dynamo at equatorial latitudes : Ddyn

Le Huy and Amory-Mazaudier, JGR, 2005 and 2008

Blanc and Richmond, 1980




Fig. 9. Local time distributions of the equatorial electrojet parameters E_ϕ , eastward electrostatic field, and I_E , total eastward current flow between $+10^\circ$ and -10° magnetic latitude. Both are basically reversed from their observed normal quiet-day variation.


2. Criteria for the Selection of Cases and Data Analysis




2.1. Criteria

[10] Our purpose being to study the sole ionospheric disturbance dynamo process, we must point out that only daytime signatures can be inferred from the data. Here are the criteria for the selection of the period of observation: (1) daytime period => to study the dynamo action in the E region, (2) period immediately after a storm => there is Joule heating in auroral regions during the period preceding our selected period, (3) no auroral electrojet => there is no penetration of the magnetospheric convection electric field during our selected period.

$$D_{\text{dyn}} = \Delta H - S_R - DR$$

Figure 9.
Local time disturbance












Figure 6. Comparison of the diurnal variations of the simulated H component in case 1 simulations (solid lines) and in case 2 simulations (dashed lines) with the observations (dotted lines) on (left) 11 June 1993 and (right) 21 June 1993.

Summary


- **Sociology of science: results**
 - Deployment of tools -> observatories
 - Training -> schools -> organization of Masters
 - Teams of Research -> position for students
- **Scientific Results**
- **IHY : New approach**
 - Geophysics to Heliophysics
- **ISWI : strong connections with society**
 - Politics and medias



Solar event :
coronal hole -> April 2010



From the Sun to the Earth



dashed lines : the magnetic quiet time variation

April 2010

3

4

5

6

7

8

9

10


TEC

ΔH

DI

$DP_2 + D_{dyn}$

IEF



At the beginning of the storm




-> Prompt penetration of the magnetospheric electric field, (Vasyliunas, 1970)

DP_2 (Nishida, 1968)

Three hours after the beginning of the storm

-> ionospheric disturbance dynamo (Blanc and Richmond, 1980) is acting at low latitudes


D_{dyn} (Le Huy Minh and Amory-Mazaudier, 2005, 2008)



Robble 1977


Interpretation of the observations

Quiet magnetic variations
Regular electric current
 $J = \sigma (E + Vn \times B) \rightarrow S_q$




Joule heating in auroral zone
Storm wind

In equatorial zone
 $\Delta J = \sigma (\Delta E + \Delta Vn \times B)$



Reversed equatorial electrojet D_{dyn}



**Necessity to learn solar physics
and particularly to know the two
components of the solar dynamo**

**Necessity to know exactly the state
of the sun**

**Necessity to know the connection
with the atmosphere**

Necessity of Pluridisciplinarity

Main field

V. Doumbia -> Geomagnetism

F. Ouattara -> Ionosphere


J. Richardson -> Solar wind and solar physics

C. Amory-Mazaudier -> Ionosphere and Atmosphere




PhD of Jean-Louis Zerbo / Ouagadougou, October 20, 2012

**Sq Field at Phu Thuy – H component –
Asymmetry of the two equinoxes
Pham et al., 2011b**



Study of the Monsoon
Pham Xuan, 2008,
Pham Xuan et al., 2009




**Necessity of pluridisciplinarity
Coupling with low atmosphere**

In magnetism we have to consider
4 seasons and not 3 seasons
Winter
Summer
Vernal equinox
Autumnal equinox

Summary


- **Sociology of science: results**
 - Deployment of tools -> observatories
 - Training -> schools -> organization of Masters
 - Teams of Research -> position for students
- **Scientific Results**
- **IHY : New approach**
 - Geophysics to Heliophysics
- **ISWI : strong connections with society**
 - Politics and medias

From L. J Lanzerotti




TEC diurnal variation at Koudougou

Comparison between two ionospheric models: Klobuchar and CODG



Comparaison between measurements and two ionospheric models: Fleury and CODG



Public conference in Nigeria, January 2012

National Mirror www.nationalmirroronline.net | Thursday February 2, 2012 | Education Today | 21

FEATURES

How research into space weather can solve man's problems -Scientists

The significance of space weather condition to human survival was the thrust of a two-day international mini conference last week at the Bells University of Technology, Ota, in Ogun State. Physicists and other space weather experts from various academic institutions in the country joined the renowned French Professor of space weather—Christine Amory-Mazaudier, to appraise the advances in space weather research in Africa. MOJEED ALABI, who witnessed the opening session, reports:

Like most people in Africa and other developing countries, Nigerians do not understand the influence of space weather on their daily living. In fact, on a global stage, experts have revealed that attention did not shift to space weather research until 1990 when the world scientists realised the need to discuss space weather activities, no longer as a branch of Physics or astronomy, but as a new field of study.

However, within the last two decades or so, evidences have revealed the impressive progress recorded in the developed nations in the understanding and control of the happenings on the space, and the results are the advancements in technologies, economic activities and military affairs among several others. Scientists cited the American military onslaught and eventual killing of late Osama Bin Laden, leader of al-Qaeda, a global broad-based militant Islamic terrorist organisation, as a product of the country's huge investment in space science.

Though Nigeria as a country is not lagging behind in her efforts to move along with the global trend in investing in space sciences, particularly with the successful launch of Nigeria's Communication Satellite One and Two, space researchers strongly believe the country has a potential of doing better if her abundant resources were to be taken into consideration. And taking into cognisance the current state of unrestricted violence being unleashed on Nigeria and her hapless people, space experts say the time can only be now.

Such need for a focused attention

'Nigeria's academic environment inimical to quality research'

CONTINUED FROM 20

Due to job seekers. Many take in teaching only as a last resort. People prefer to work in oil firms, in banks, in educational institutions which are considered to be lucrative where they would be paid for salary and享受 fringe benefits and not as a teacher. This issue is a great contributor to the filling of standard of education in the country and it's the foundation is weak. So the structure can never be strong. So the problem of Nigeria's education sector starts from its entry to secondary schools and move up the ladder to the university level. That is why some teachers are dismied from their original work and looking elsewhere to make complementary income at the expense of students and government. By that, there won't be quality service. To worsen the situation, many parents also encourage their wards in academic fields.

Nevertheless, the panel urged the governors across states to improve teachers' conditions of service and welfare and also provide necessary facilities that would make the environment congenitally friendly.

On its practical setup, the Dean of the university's College of Natural and Applied Science, Prof. Israel Babatunde Rabiu, explained in detail why human beings are bound to experience space weather effects as a result of the energies released from the sun towards the earth. He said this happens when these energies in form of solar storm travels through space and impact the earth magnetosphere.

"Studying space weather is crucial to the survival of our national economy because these released energies from the sun can affect the technology we have become so dependent upon in our everyday lives. These energies from the sun which come in solar storms, solar flares and coronal mass ejections can affect space and ground systems and terrestrial weather. Some of the effects on space systems include malfunction of space

crafts, changing of space orbit and radiation on human in space while on the ground systems the effects include disturbance of Global Positioning System (GPS) and other space signals, disruption of long distance radio signals, cause radiation on humans at and near the ground level, induce geomagnetic currents that disrupt electrical transmissions and cause leakages in buried pipelines in the iron pipelines."

One of the participants threw a pose at his fellow colleagues on the theory of the earth expansion, which rattled the non-science-oriented participants. He said if the theory was true, it may affect the way sun reaches the planet earth which he said if it continues, a time may come when sun may no longer reach the earth and the inhabitant would "just perish." The consensus is that the theory has still not been proven beyond doubt, and according to Prof. Mazaudier, such include the work of researchers without exempting the gathering.

When asked how the research group would ensure the exercise does not eat into the budget of the National Space Research and Development Agency (NASRDA) and the Space Physics Laboratory of the Federal University of Technology (FUTA), Akure, in Ondo State, the two-day research exercise which held at BELLSTECH drew participants from about 10 higher institutions of learning and other related research institutions in the country.

The event, which was themed: "Advances in Space Weather Research in Africa," had Prof. Christine Amory-Mazaudier, the French space weather expert as the special guest, who in her introductory graphic presentation analysed the effects of activities in the terre-



Vice-Chancellor, Bells University of Technology, Ota, Prof. Isaac Adeyemi (middle) and participants at the conference.

STUDYING SPACE WEATHER IS CRUCIAL TO THE SURVIVAL OF OUR NATIONAL ECONOMY BECAUSE THESE RELEASED ENERGIES FROM THE SUN CAN AFFECT THE TECHNOLOGY WE HAVE BECOME SO DEPENDENT UPON IN OUR EVERYDAY LIVES

rial weather on human life. She thus demanded for a much more focused study on the African space weather not only to improve the continent's agricultural investment but also to further enhance economic growth and development and to stem the rising tide of insecurity across Africa.

In his welcome address, BELLSTECH's Vice-Chancellor, Prof. Isaac Adeyemi, who explained that the developments around the world have confirmed that the world has truly arrived the age of space and that "Nigeria cannot afford to be left behind."

He further disclosed that his university grabbed the idea of hosting the conference as a step to move higher in its investment in the study of space science "as we currently enjoy successful collaboration with the Nigeria Meteorological Agency (NIMET). This makes BELLSTECH one of the NIMET stations with the capacity to, at least for now, supply data like sunshine, wind and rainfall records which forms part of NIMET data bank."

The relevance of the scientific efforts, the VC explained was geared towards helping the



2008/01/01



Première école S.i.g-G.p.s au Congo-Brazzaville

Le S.i.g est devenu un outil incontournable, pour l'organisation de la société

DU 2 AU 9 DÉCEMBRE 2009, LA PREMIÈRE ÉCOLE INTERNATIONALE S.I.G-G.P.S (Systèmes d'information géographique - Global positioning system) réunissant des participants du Côte d'Ivoire, du Congo-Brazzaville, de France et de la République Démocratique du Congo a été ouverte au Cerve (Centre d'étude sur les ressources végétales) et au Cemagref au Gabon. Le S.I.G (Systèmes d'information géographique) sont des bases de données très référencées, utilisées dans tous les domaines (géographie, pharmacologie, aménagement du territoire, navigation, épidémiologie, recherche, etc.) et ont devenus un outil incontournable, pour l'organisation de la société.

Que signifie donner des différences? Cela signifie donner une localisation sur la terre, par ses coordonnées de latitude et de longitude et d'altitude. Le G.P.S utilise les données, le S.I.G intègre les données et permet leur traitement et leur analyse dans les domaines de la géographie, la pharmacologie, l'aménagement du territoire, la navigation, l'épidémiologie, la recherche, etc. Le S.I.G est donc une aide précieuse pour la prise de décision. Au cours de cette école, les participants ont présenté leurs intérêts très différents:

- étude de l'érosion dans la ville de Kinshasa;
- utilisation des vélos et de la pollution à Kinshasa;
- occupation des sols à Kinshasa;
- pollution fluviale à Brazzaville et Pointe Noire;
- réchauffement climatique sur l'ensemble de la planète;
- studia des carbones par les racines des arbres dans les forêts du Congo;
- pharmacologie en RDC;
- épidémiologie en Côte d'Ivoire;



CONCERNANT L'AMÉLIORATION DE LA VIE DES POPULATIONS. Ainsi, pour organiser les contributions des étudiants et définir le P.o.e (Plan d'occupation des sols), il est nécessaire de connaître les zones de risques d'inondation, les zones d'érosion importante, les sols salins, etc. Le S.I.G permet aux experts d'intervenir et, par exemple, d'empêcher le développement de zones résidentielles que des cités sur des zones à risque, en informant les déviseurs, les financeurs et les réseaux courus en négligeant ces éléments. L'intérêt de ces écoles transversales S.I.G.

déforestation en Côte d'Ivoire; étude des scintillations ionosphériques; étude du niveau des eaux marines solaires sur l'environnement ionisé de la terre; étude du contenu en eau de la troposphère; étude de la pluie, etc.

Le S.I.G apporte aussi la possibilité de coupler de nombreux jeux de données et ainsi d'obtenir, par exemple, le développement de cartes mondiales liés à l'environnement, par le recouvrement de plusieurs types de milieux: les océans, les mers, les plaines, des canaux, des cours d'eau, plantes, etc., dans des S.I.G multidisciplinaires.

Durant cette dernière édition, le S.I.G est devenu un outil incontournable pour l'organisation de la société, dans quelques domaines que ce soit. Cet outil est indispensable pour la prise de décision.

BI-HEBDOMADAIRE D'INFORMATION ET D'ACTION SOCIALE PARAISSANT AU CONGO-BRAZZAVILLE

Prix: 250 F.CFA

LA SEMAINE AFRICAINE

www.lasemaineafricaine.com

57ème anniversaire

School Congo, December2009

PhD

in Burkina Faso, October 2012

Première thèse en météorologie de l'Espace au Burkina Faso

Le 20 octobre 2012, Jean-Louis Zerbo a soutenu la première thèse en météorologie de l'Espace à l'Université de Ouagadougou au Burkina Faso devant le jury suivant :


Président du jury : Pr John Richardson, Université MIT-USA (deuxième à droite)
Pr Dieudonné Joseph Bathio, Université de Ouagadougou (premier à droite);
Pr Frédéric Quallala, Université de Koudougou (sixième en partant de la droite);
Pr Vall Doumbia, Université de Cocody - Côte d'Ivoire (cinquième en partant de la droite);
Pr Alhadji Woreme, CNRST (troisième en partant de la droite);
Pr Christine Amory-Mazzaferri, Université Pierre et Marie Curie - France (quatrième à droite).



Sur cette photo à gauche ; il y a le nouveau Docteur Jean-Louis Zerbo à côté du Pr Ouattara et le frère de Jean-Louis Zerbo.
Le titre de la thèse est : Activité solaire, vent solaire, géomagnétisme et ionosphère équatoriale.

Qu'est-ce que la météorologie de l'Espace ?

La figure ci-dessous de L.J. Lanzerotti illustre les principaux processus physiques impliqués dans la météorologie de l'Espace. Notre société moderne qui s'appuie sur de nombreuses technologies modernes (GPS, Internet, télécommunications, Télé-satellite, etc...) est sensible aux phénomènes électromagnétiques produits par le soleil.



Processus physiques dans la météorologie de l'Espace


Le soleil interactif avec l'environnement terrestre électromagnétique suivant deux canaux principaux, les radiations solaires (se propagant à la vitesse de la lumière 300 000 km/s et atteignant la terre en 8 minutes) et le vent solaire (flux de particules, essentiellement des protons et des électrons, émis par le soleil se propageant à ces vitesses de quelques centaines de km/s atteignant la terre en 1 à plusieurs jours). La thèse de Jean-Louis Zerbo a porté sur les relations entre l'activité du soleil, le vent solaire et les perturbations du champ magnétique terrestre et de l'ionosphère (couche ionisées entourant la terre entre 60 et 800 km d'altitude). Les objectifs principaux du projet ISWI (International Space Weather Initiative) sont :

Comprendre les différents processus physiques agissant dans le système Terre-Soleil ; reconstruire et prévoir les événements de météorologie de l'Espace ; Instrumentation, analyse des données, coordination des études sur les paramètres dérivés des données, modélisation. Coordination scientifique pour établir les relations essentielles entre les paramètres physiques et développer des prévisions en météorologie de l'Espace ; Education et information d'outils de communication et de vulgarisation.

Le projet ISWI <http://www.iswi-secretariat.org> rassemble plus d'une cinquantaine de pays et s'inscrit dans le cadre de la commission pour les applications pacifiques de la science à l'Espace <http://www.cosa.univie.ac.at>

La GIREA <http://www.girea.org> est un réseau de scientifiques de par le monde qui a pour objectif principal l'introduction des sciences de l'Espace dans les pays émergents. Ce réseau prévoit d'organiser en 2014 une école sur la météorologie de l'Espace à l'Université de Koudougou au Burkina Faso.

University Mohamed V Agdal / Rabat/Morocco -> 2 PhD Students



New countries for IRGGEA
Permanent observatories with technicians
 Morocco -> Prof. Anas EMRAN emrananas@yahoo.fr
 RDC -> Prof. ZANA : azanan202@yahoo.fr

Averroes



Ifrane



Tioune



Aouinet Torkoz



University of Kinshasa/RDC – 8 PhD students



Observer since 1957
Papa NDUAZU

Ionogramme
November, 28, 1954



Conclusion

- Scientific tools lead to sustainable research in Africa => we have to continue to deploy scientific instruments in Africa (necessary but not sufficient)
- Schools are important to attract students in these new fields of research
- PhD and positions are necessary for the perenniability
- PhD must be obtained on the basis of publications in international journals : the student must learn the job of scientist during the PhD
- Education of the population by conference
- Development of the country (especially with tools as GPS and GIS)
- Necessity to develop national communities of the user of GPS to share data
- Emergence of new scientific communities : heliophysics and Space Weather breaking walls between disciplines
- Necessity of the development of African organizations as AGS, CAMES etc..
- Now it is necessary to reanalyze ionospheric and magnetic data including the knowledge on the sun and on the low atmosphere.

Deadlines

- January 15, 2013: Deadline for registration
February 15, 2013: Notification of acceptance
March 15: Confirmation of participation

Fees of participation

- (Participation, lodging and restaurants + visits)
20.000 DA ou 200 Euros

Address

School ISWI-Maghreb 2013
FSTGAT (USTHB)
BP 32, El Alia, Bab Ezzouar (16111), Alger
E-mail:

Site web: <http://www.usthb.dz/EIM2013>

Inscription

ISWI-Maghreb 2013, usthb May 6-16, 2013

(to send with a summary of the poster) before january 30, 2013

Mr, Mme, Melle, Name:	first name(s):.....
Enseignant-chercheur:	Doctorant: Magister Master
Other (precise):.....	Researcher:
Institution :.....	E-mail:.....
Tél:.....	Fax:.....
Request to participate to the school ISWI-Maghreb 2013	
Title of the poster:.....	

S C H O O L O N S P A C E W E A T H E R I S W I M A G H R E B 2 0 1 3



EIM 2013
School ISWI-Maghreb



R S D T



The Faculty of Sciences of the Earth , Geography and Organization of Territory of l'USTHB

The faculty of Physcis l'USTHB

The Center for Research in Astronomy, Astrophysics and Geophysics (CRAAG)

The National Institute for Post, technologies of Information and Communication (INPTIC)

In collaboration with

The Algerian Society of Geophysics (SAG)

and the support of

International Space Weather Initiative (ISWI)


United nations (UN)

Under the patronage of

the Direction general of the Scientific Research, and Technical Development


Organize

The First ISWI school of MAGHREB



Pr N. ZAOURARI SWI ccordinator in Algerien
Pr C. AMORY- Mazaudier Coordinator of GIRGEA

At USTHB from May 6 to 16, 2013



Objectives

The first edition of the school-Maghreb ISWI 2013 provide an opportunity for young researchers to deepen their knowledge in various areas of Space Weather.

It will also provide an opportunity for researchers and scientists from the Maghreb who want to learn or acquire a new profile associated with the proposed theme. It will acquire the skill to use existing data sets and tools related to studies of Space Weather, participate and contribute to international projects.

In this school, participants will receive specific courses presented by speakers specialized in this area. This school will host sessions (debates and tutorials). Tours of some research centers in the region will be organized. A cultural program is designed to allow participants to visit the city and learn about its history.

The school will also bring together young researchers from different countries to build lasting relationships and fruitful.

Participants are encouraged to present their research in poster format. A one-page summary must be submitted with the request for participation.

This first edition of School Space Weather will be perpetuated by other schools in the Maghreb with a periodicity of 2 years which will update the knowledge of researchers / students in high-tech fields.

Topics

-Knowledge of the physical processes that influence the solar terrestrial electromagnetic environment


- Use of data obtained by the networks of instrument deployed in the context of ISWI

- Use of databases and models useful for Space Weather

- Natural and Technological Risks induced by interaction Solar Activity-Earth Electromagnetic Environment

Organizing Committee

ZAOURAR Naima, (USTHB) Présidente
 AMORY- Christine (LPP/UPMC) Vice présidente
 HAMOUDI Mohamed, (USTHB)
 DRIR Mahrez (USTHB)
 OUABADI Aziouz (USTHB)
 EMRAN Anas (Univ Mohammed V/ MAROC)
 OUTEMZABET Rachid (INPTIC)
 BOUKERS Saad (INPTIC)
 ABTOUT Abdeslam (CRAAG)
 DJEDDI Mohamed (USTHB)
 DJEUBLI Mourad (USTHB)
 YAHIAT Yasmina (USTHB)
 CHAFA Azzedine (USTHB)
 ANAD Fatma (CRAAG)
 EDDOUD Abdelkader (AUF/CNF)
 BENTOURI Mansour (USTHB)
 BOUNAB Mohamed (USTHB)



S
C
H
O
O
L

S
P
A
C
E

W
E
A
T
H
E
R
I
S
W
I
M
A
G
H
R
E
B
2
0
1
3

Scientific Committee

Pr HAMOUDI Mohamed (USTHB) Président
 Pr MANDEA Mioara (CNES/France) Vice-présidente
 Pr AMORY Christine (LPP/UPMC/France)
 Pr ZAOURAR Naima, (USTHB)
 Pr RICHMOND Art (NCAR/USA)
 Pr KLEIN Karl-Ludwig ((LESIA/ France)
 Pr BOCCHIALINI Karine (Université d'Orsay/France)
 Pr FONTAINE Dominique (LPP/UPMC/France)
 Pr PITOUT Frédéric (IRAP/Toulouse)
 Dr ABTOUT Abdeslam (CRAAG)
 Pr ABDELATIF Toufik (CRAAG)
 Pr DJEUBLI Mourad (USTHB)
 Pr VILMER Nicole (LESIA/ France)
 Pr BLANC ELISABETH (CEA/France),
 Pr PETITDIDIER Monique (LATMOS/France)
 Dr HILGERS Alain (ESA/Pays Bas)
 Pr OUATTARA Frédéric(Univ Koudougou/Burkina Faso)
 Dr YAHIAIT Yasmina (USTHB)
 Dr BERGUIG M. Cherif (USTHB)

