題名 ISWI Newsletter - Vol. 4 No. 53 差出人 George Maeda

************************* * ISWI Newsletter - Vol. 4 No. 53 18 May 2012 * I S W I $\,=\,$ International Space Weather Initiative (www.iswi-secretariat.org) * Publisher: Professor K. Yumoto, ICSWSE, Kyushu University, Japan * * Editor-in-Chief: Mr. George Maeda, ICSWSE (maeda[at]serc.kyushu-u.ac.jp)* Archive location: www.iswi-secretariat.org (maintained by Bulgaria) [click on "Publication" tab, then on "Newsletter Archive"] * Caveat: Under the Ground Rules of ISWI, if you use any material from the ISWI Newsletter or Website, however minor it may seem to you, you must give proper credit to the original source.

Attachment(s):

(1) "status20120516_V0", 700 KB pdf, 3 pages.

Latest report from Callisto.

Dear ISWI Participant:

I attach the latest report from the Callisto Project.

This newsletter is always ready to circulate reports from other ISWI instrument arrays.

Cordially yours,

George Maeda The Editor ISWI Newsletter



This pdf circulated in Volume 4, Number 53, on 18 May 2012.



Eidgenössische Technische Hochschule Zürich Swiss Federal Institute of Technology Zurich



CALLISTO status report #35

Data archive and QuickViews back on-line:

We are very happy to announce that the Callisto/Phoenix data archive as well as the generation of QuickViews is back on-line. Specialists from technical high school FHNW finally managed to get all necessary tools installed and configured (UNIX, Python, PERL, SSWIDL etc.) to provide data and QuickViews on this website:

http://soleil.i4ds.ch/solarradio/callistoQuicklooks/

rfi-survey Spain

In the meantime we had arranged an rfi-monitoring and observing-site survey between University of Alcalá, University of Murcia and ETH. The plan was to find a possible observation site for solar radio observations and outreach. Finally we found an extreme radio quiet area in a natural valley near Peralejos.




Fig. 1: Radio quiet area in Peralejos, Spain. No external interference above 6dB of receiver noise-level. This location is perfect for radio-astronomy.

Callisto status report #35

Page: 1/3





Eidgenössische Technische Hochschule Zürich Swiss Federal Institute of Technology Zurich

Recent papers/articles

No. 174, A Shocking Type II, by Hazel Bain, Säm Krucker, and Lindsay Glesener: Global coronal waves getting sorted out, see http://sprg.ssl.berkeley.edu/~tohban/wiki/index.php/A Shocking Type II.

AOB

Phoenix-3, the FFT-spectrometer 1 GHz – 5 GHz in two polarizations is operating again. Latest burst observations look promising:




Fig. 2: Phoenix-3 FFT-spectrometer. Solar burst in L-band interfering with mobile phones at 1800 MHz.

New version of Callisto application is available as version 1.16 here: http://www.astro.phys.ethz.ch/astro1/Users/cmonstei/instrument/callisto/ecallisto/applidocs.htm
Some minor software bugs have been eliminated.

Callisto status report #35

Page: 2/3





Eidgenössische Technische Hochschule Zürich Swiss Federal Institute of Technology Zurich

There will be the 21st national Solar Physics Meeting 18 - 22 June 2012 in Stará Turá, Slovakia. Brief information in English can be found here:

http://www.suh.sk/index.php?option=com_content&view=section&layout=blog&id=20&Itemid=137&limitstart=11

Request for spectral overviews

I'd like to prepare a catalog about the world-wide level of interference. With our network we are in a very comfortable situation to cover almost the whole planet. I beg you to do the following before sun-rise and/or after sun-set:

- 1. Change Callisto to manual mode and press the button 'Save Spectral Overview' under normal condition while the antenna is connected to the preamplifier. Repeat it 2 or 3 times at slightly different times of the day.
- 2. If possible do the same again while the antenna is replaced by a 50Ω resistor. Repeat it 2 or 3 times at slightly different times of the day.
- 3. Rename the files in a way that I can recognize which files have seen the 50Ω reference resistor.
- 4. Write some comment whether you operate with or without preamplifier and whether you operate with your 'normal' antenna or with an omni-directional antenna.
- 5. Send all files with comments to me: monstein@astro.phys.ethz.ch

Those who have more than one Callisto may repeat the monitoring process for all instruments. This allows me to determine the external interference level. If you cannot attach a 50Ω resistor then I'll subtract a 3^{rd} order polynomial background. Out of that I'll produce a document which I then will provide to you and to CRAF. Each author of a providing location will be mentioned as author in the final paper.

```
Christian Monstein
Institute of Astronomy
ETH Zürich HIT G13.2
Wolfgang-Pauli-Strasse 27
CH-8093 Zürich
Switzerland

Office (HIT G13.2): ++41-44-632-42-24
Laboratory (HPT B109): ++41-44-632-71-32
Laboratory (HPP Q12): ++41-44-633-81-16
Zurich-observatory (STS): ++41-44-632-38-11
Bleien-observatory (RSG): ++41-62-842-10-55
Mobilephone/SMS : ++41-79-755-60-07

email: monstein@astro.phys.ethz.ch
www: http://www.astro.ethz.ch/people/cmonstei
```

Page: 3/3

Callisto status report #35